

**Global Parts Order Processing  
Material Safety Data Sheet  
SELKIRK CHRYSLER (MB) LTD.**

March 14, 2013  
15:26

C H R Y S L E R  
HAZARD COMMUNICATION SHEET

192130  
EFFECTIVE DATE : 07/20/11

PART/COMMTY CD: OMS00120  
SUPPLIER: 35573 MFGR: 03500  
STANDARD: N/AV

\*\*\* SECTION 01 - PRODUCT INFORMATION \*\*\*

MFG BY: PART SALES & SERVICE CHRYSLER  
26311 LAWRENCE AVE CENTERLINE MI 48015  
EMERGENCY PHONE: 248-512-8002 AFTER HOURS: 248-576-8888  
DIST BY: PART SALES & SERVICE CHRYSLER  
26311 LAWRENCE AVE CENTERLINE MI 48015  
EMERGENCY PHONE: 248-512-8002 AFTER HOURS: 248-576-8888  
CHRYSLER INDUSTRIAL HYGIENE: 248-512-8260 AFTER HOURS: 248-576-8888  
BRAND NAME: GLASS CLEANER H-114  
MFG ID : H-114  
DESCRIPTION: CLEANER-GLASS  
PRODUCT IDENTIFICATION NUMBER(PIN): N/AP

\*\*\* SECTION 02 - INGREDIENTS \*\*\*

HAZARDOUS INGREDIENTS: PERCENT CHRYSLER  
COMM NAME / CAS NO & CHEM NAME: BY WGT TWA STEL CEIL UNITS NOTATIONS  
\*\*\*EXISTING INGREDIENTS\*\*\*

ISOPROPYL ALCOHOL	5-10	400	500	N/AP	PPM	
000067-63-0 2-PROPANOL (9CI)	LD50:	5045.000	MG/KG	ORL	RAT	
IDLH: 2000 PPM	LC50: N/AV		N/AV	N/A	N/A	
DIPROPYLENE GLYCOL MONOMETHYL ETH	1-5	100	150	N/AP	PPM	S
034590-94-8 PROPANOL, 1(OR 2)-(2-M	LD50:	5135.000	MG/KG	ORL	RAT	
IDLH: 600 PPM	LC50: N/AV		N/AV	N/A	N/A	

GENERIC DESC: MATERIAL CONSISTING OF THE FOLLOWING: ALCOHOL(S) AND WATER.  
FOR EXPLANATION OF "NOTATIONS", SEE THE HAZARD COMMUNICATION SHEET  
EXPLANATIONS PAGE.  
CONSULT LOCAL AUTHORITIES FOR ACCEPTABLE EXPOSURE LIMITS.

\*\*\* SECTION 03 - PHYSICAL DATA \*\*\*

BOILING POINT :	100 C	SOLUB IN WATER: COMPLETE (	IN ALL PROPOR
VAPOR PRESSURE: N/AP		EVAP. RATE: > 1.000	REF: ETHYL ETHER
VAPOR DENSITY : N/AP		SPECIFIC GRAVITY:	0.970 AT N/AP
PH AT FULL STRENGTH:	6.2	PH AT REC. DILUT:	N/AP
%VOLATILE BY VOL :	7.0	VOLATILE ORGANIC COMP: N/AP	N/AP
ODOR THRESHOLD: N/AP	PPM FOR	% POPULATION	
FREEZING POINT: N/AP		COEFF. OF WATER/OIL DIST: N/AP	
APPEARANCE & ODOR: COLOR: BLUE.....	ODOR: PERFUME.....	STATE: LIQUID.....	

**Global Parts Order Processing  
Material Safety Data Sheet  
SELKIRK CHRYSLER (MB) LTD.**

March 14, 2013  
15:26

\*\*\* SECTION 04 - FIRE AND EXPLOSION DATA \*\*\*

FLASH POINT: N/AP N/AP IGN TEMP: N/AP LEL: N/AP UEL: N/AP

SPECIAL FIRE & EXPLOSION HAZARDS:

MAY PRODUCE TOXIC THERMAL DECOMPOSITION PRODUCTS.

EXTINGUISHING MEDIA:

DRY CHEMICAL, CARBON DIOXIDE, FOAM OR WATER FOG.

SPECIAL FIREFIGHTING PROCEDURES:

USE PROTECTIVE CLOTHING. AVOID BREATHING VAPOR OR FUMES.

FLAMMABILITY CONDITIONS:

MATERIAL DOES NOT IGNITE.

SENSITIVE TO MECHANICAL IMPACT?: N/AP SENSITIVE TO STATIC DISCHARGE?: NO

HAZARDOUS COMBUSTION PRODUCTS:

NONE KNOWN.

FLAME PROJECTION: N/AP

FLAMMABILITY: N/AV

\*\*\* SECTION 05 - REACTIVITY DATA \*\*\*

STABILITY: STABLE

CONDITIONS TO AVOID:

NONE KNOWN.

MATERIALS TO AVOID:

NONE KNOWN.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

POLYMERIZATION CONDITIONS TO AVOID:

POLYMERIZATION WILL NOT OCCUR.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION MAY PRODUCE THE FOLLOWING: CARBON MONOXIDE AND CARBON DIOXIDE.

\*\*\* SECTION 06 - TOXICOLOGICAL PROPERTIES \*\*\*

EFFECTS OF OVEREXPOSURE-ACUTE & CHRONIC:

<<---INHALATION--->> ACUTE EXPOSURE MAY PRODUCE THE FOLLOWING: MAY BE HARMFUL IF INHALED. <<---SKIN CONTACT--->> DIRECT CONTACT MAY PRODUCE THE FOLLOWING: IRRITATION AND DEFATTING AND DRYING OF SKIN. OR SKIN CONTACT MAY PRODUCE DEFATTING AND DRYING OF SKIN. <<---EYE CONTACT--->> DIRECT CONTACT MAY PRODUCE THE FOLLOWING: IRRITATION. <<---INGESTION--->> MAY BE HARMFUL IF SWALLOWED.

TOXICOLOGICALLY SYNERGISTIC PRODUCTS:

PRODUCT LD50: N/AV	N/AV	N/AV	N/AV
PRODUCT LC50: N/AV	N/AV	N/AV	N/AV

\*\*\* SECTION 07 - PREVENTIVE MEASURES \*\*\*

RESPIRATORY PROTECTION:

NO SPECIAL PROTECTION NEEDED UNDER NORMAL CONDITIONS.

**Global Parts Order Processing  
Material Safety Data Sheet  
SELKIRK CHRYSLER (MB) LTD.**

March 14, 2013  
15:26

VENTILATION TYPE:

GOOD GENERAL VENTILATION. THIS EQUIPMENT MAY BE REQUIRED.

PROTECTIVE GLOVES:

RECOMMENDED. RUBBER GLOVES.

EYE PROTECTION:

RECOMMENDED. SAFETY GLASSES WITH SIDE SHIELDS.

OTHER PROTECTIVE EQUIP:

CLOTHING (SAME MATERIAL AS GLOVES). APRON (SAME MATERIAL AS GLOVES).

FLUSH AREA WITH WATER.

WASTE DISPOSAL METHODS:

DISPOSE OF IN A MANNER CONSISTENT WITH STATE, PROVINCIAL, LOCAL, AND  
FEDERAL DISPOSAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE:

STORE IN A COOL, DRY PLACE. STORE AT ROOM TEMPERATURE. DO NOT FREEZE. AVOID  
USING OR STORING AT HIGH TEMPERATURES. AVOID BREATHING MIST.

OTHER PRECAUTIONARY MEASURES:

TAKE "NO SMOKING" PRECAUTIONS. DO NOT SMOKE OR EAT WHEN HANDLING THIS  
SUBSTANCE; WASH THOROUGHLY AFTER USING. MAINTAIN GOOD HOUSEKEEPING AND  
HYGIENIC PRACTICES. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE.

\*\*\* SECTION 08 - FIRST AID MEASURES \*\*\*

EMERGENCY FIRST AID PROCEDURES:

<----INHALATION----> REMOVE TO FRESH AIR AT ONCE. ARTIFICIAL RESPIRATION IF  
BREATHING HAS STOPPED. CARDIAC RESUSCITATION IF INDICATED. IF CONDITION  
PERSISTS, CONSULT A PHYSICIAN. <----SKIN CONTACT----> REMOVE CONTAMINATED  
CLOTHING. WASH WITH SOAP AND WATER. APPLY SKIN CREAM IF DEFATTING OF SKIN  
OCCURS. IF CONDITION PERSISTS, CONSULT A PHYSICIAN. <----EYE CONTACT---->  
REMOVE CONTACT LENSES TO ASSURE COMPLETE FLUSHING. RINSE EYES IMMEDIATELY  
WITH LARGE AMOUNTS OF WATER, OCCASIONALLY LIFTING BOTH UPPER AND LOWER LIDS.  
CONTINUE FOR 15 MINUTES. CONTACT A PHYSICIAN. <----INGESTION----> NEVER GIVE  
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE QUANTITIES OF WATER.  
DO NOT INDUCE VOMITING-CALL PHYSICIAN IMMEDIATELY.

\*\*\* SECTION 09 - PREPARED BY INFORMATION \*\*\*

DATA SHEET PREPARED BY:

INDUSTRIAL HYGIENE DEPARTMENT  
CHRYSLER  
PHONE: 248-512-8260

PREPARED BY: STAFF  
REVIEWED BY: CA TAUBE  
REVISED BY: KP RIDELLA